



INSTRUMENT  
APPROACH  
CHART

AERODROME ELEV. 189ft.  
HEIGHTS RELATED TO  
THR RWY 23 ELEV.189ft

APP.119.6  
TWR.118.1

AHMEDABAD  
INDIA  
ILS RWY 23



CATEGORY OF AIRCRAFT	O C A. (H)		Distance / Altitude information						
	A/B	C/D	Distance(NM)	4D	3D	2D			
STRAIGHT-IN	430	430		1480	1160	840			
CIRCLING	780	960							
G.P. INOPERATIVE PROCEDURE			Distance from FAF to MAPt. = 4.19NM						
STRAIGHT-IN	430	430	Ground speed (kt.)	80	100	120	140	160	180
CIRCLING	780	960	Time(min:sec.)	3:09	2:31	2:06	1:48	1:35	1:24
			Rate of descent (ft/min)	430	535	645	750	860	965

AERODROME OPERATING MINIMA	CATEGORY A		CATEGORY B		CATEGORY C		CATEGORY D	
	ALS	ALS OUT	ALS	ALS OUT	ALS	ALS OUT	ALS	ALS OUT
ILS (Straight-in)	800	1200	800	1200	800	1200	800	1200
NORMAL MINIMA	800	1200	800	1200	800	1200	800	1200
RESTRICTED MINIMA	1000	1800	1000	1800	900	1300	900	1300
GP.inop								
NORMAL MINIMA	1600	2400	1600	2400	2400	3200	2800	3600
RESTRICTED MINIMA	2000	2800	2000	2800	2800	3600	3200	4000
NORMAL CIRCLING MINIMA		3600		3600		4400		4800
RESTRICTED CIRCLING MINIMA		3600		3600		5000		5000

DRG. NO. AAI/03-IALC/99/09.07.07

Cancellation - G0045/07