



INSTRUMENT
APPROACH
CHART

AERODROME ELEV. 487ft.
HEIGHTS RELATED TO
THR RWY 12 ELEV.469ft

TWR.123.5

DIMAPUR
INDIA
ILS RWY 12
CAT-A/B/C



CATEGORY OF AIRCRAFT	O C A. (H)			Distance / Altitude information						
	A	B	C	Distance(NM)	6.2D	6D	5D	4D	3D	2D
STRAIGHT-IN	720	730	740	Distance(NM)	2600	2550	2200	1850	1510	1200
CIRCLING	960	960	1500	Altitude (ft.)	2600	2550	2200	1850	1510	1200
G.P. INOPERATIVE PROCEDURE				Rate of Descent /Ground speed information						
				Ground speed (kt.)		80	100	120	140	160
STRAIGHT-IN	910	910	910	Rate of descent (ft/min)		460	575	695	810	925
CIRCLING	960	960	1500							
AERODROME OPERATING MINIMA										
	CATEGORY A			CATEGORY B			CATEGORY C			
	ALS	ALS OUT	ALS	ALS OUT	ALS	ALS OUT	ALS	ALS OUT		
NORMAL MINIMA (ILS)		1300		1300		1300		1300		
RESTRICTED MINIMA (ILS)		1700		1800		1600		1600		
NORMAL MINIMA (GP INOP)		2400		2400		2800		2800		
RESTRICTED MINIMA (GP INOP)		2800		2800		3200		3200		
NORMAL CIRCLING MINIMA		3600		3600		5000		5000		
RESTRICTED CIRCLING MINIMA		3600		3600		5000		5000		

DRG. NO. AA/14.-IALC/2006/27.12.06
CANCELLATION - AIP Supplement 34/2006