



INSTRUMENT APPROACH CHART  
 DIMAPUR INDIA ILS RWY 12  
 CAT-A/B/C  
 AERODROME ELEV. 487ft.  
 HEIGHTS RELATED TO THR RWY 12 ELEV.469ft  
 TWR.123.5



CATEGORY OF AIRCRAFT	O C A. (H)			Distance / Altitude information						
	A	B	C	Distance(NM)	6.2D	6D	5D	4D	3D	2D
STRAIGHT-IN	720	730	740	Distance(NM)	6.2D	6D	5D	4D	3D	2D
CIRCLING	960	960	1500	Altitude (ft.)	2600	2550	2200	1850	1510	1200
G.P. INOPERATIVE PROCEDURE				Rate of Descent /Ground speed information						
STRAIGHT-IN	910	910	910	Ground speed (kt.)		80	100	120	140	160
CIRCLING	960	960	1500	Rate of descent (ft/min)		460	575	695	810	925
AERODROME OPERATING MINIMA				CATEGORY A		CATEGORY B		CATEGORY C		
	ALS	ALS OUT		ALS	ALS OUT	ALS	ALS OUT			
NORMAL MINIMA (ILS)			1300			1300			1300	
RESTRICTED MINIMA (ILS)			1700			1800			1600	
NORMAL MINIMA (GP INOP)			2400			2400			2800	
RESTRICTED MINIMA (GP INOP)			2800			2800			3200	
NORMAL CIRCLING MINIMA			3600			3600			5000	
RESTRICTED CIRCLING MINIMA			3600			3600			5000	

DRG. NO. AA/14.-IALC/2006/27.12.06  
 CANCELLATION - AIP Supplement 34/2006