



INSTRUMENT APPROACH CHART  
 AERODROME ELEV. 777ft. APP.127.9 TWR.118.1  
 DELHI INDIA  
 ILS (CAT-I) RWY 28  
 THR RWY 28-ELEV.777ft



NAUTICAL MILES FROM THR RWY 28

O. C. A.		Distance (ILSDME) / Altitude information for G.P.inoperative Procedure				
CATEGORY OF AIRCRAFT	A/B	C/D	Distance(NM)	4D	3D	2D
STRAIGHT-IN	986	1006	Altitude(Ft.)	2040	1730	1410
VISUAL CIRCLING	1470	1570	Time & Rate of Descent information for G.P.inoperative Procedure			
GP In-Operative procedure			Distance from OM to MM:3.51NM			
STRAIGHT-IN	1220	1220	Ground speed (kt.)		100	120
VISUAL CIRCLING	1470	1570	Time(Min :Sec)		2:06	1:45
			Rate of descent (ft/min)		530	635

AERODROME OPERATING MINIMA	CATEGORY A		CATEGORY B		CATEGORY C		CATEGORY D	
	ALS	ALS OUT	ALS	ALS OUT	ALS	ALS OUT	ALS	ALS OUT
NORMAL MINIMA (ILS)	800(550)	1200	800(550)	1200	800(550)	1200	800(550)	1200
RESTRICTED MINIMA (ILS)	1000	1600	1000	1600	900(650)	1300	900(650)	1300
NORMAL MINIMA (GP INOP)	1600	2400	1600	2400	2000	2800	2400	3200
RESTRICTED MINIMA (GP INOP)	2000	2800	2000	2800	2400	3200	2800	3600
NORMAL CIRCLING MINIMA		3600		3600		4400		4800
RESTRICTED CIRCLING MINIMA		3600		3600		5000		5000

DRG. NO. AAI/09-IALC/04/29.05.07

Cancellation: G0029/07