

AD 2. AERODROMES

VIPT 2.1 AERODROME LOCATION INDICATOR AND NAME

VIPT - PANTNAGAR / DOMESTIC

VIPT AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1.	ARP coordinates and site at AD	290155.7N 0782820.9E 115 Deg 30Min and 4.57NM from physical extremity of RWY10
2.	Direction and distance from (city)	16.2NM SSW of Haldwani
3.	Elevation/Reference temperature	233M/764FT 34.6 Deg C
4.	MAG VAR/Annual change	0.5 Deg E (1995) / 0.03 Deg increasing
5.	AD Administration, AD Address, telephone, Telefax, telex, AFS	Senior Manager (Aero) Airports Authority of India Pantnagar Airport Pantnagar
		Tele 05944-233685 ,
		Fax ---
		Telex ---
	AFS ---	
6.	Types of traffic permitted (IFR/VFR)	VFR
7.	Remarks	NIL

VIPT AD 2.3 OPERATIONAL HOURS

1.	AD Administration	Mon – Fri 0930-1730 IST (0400-1200 UTC) Sat,Sun + Hol Nil
2.	Custom and immigration	---
3.	Health and sanitation	---
4.	AIS Briefing office	As ATS
5.	ATS Reporting Office(ARO)	As ATS
6.	MET Briefing office	0730-1330 IST DAILY (0200-0800UTC)
7.	ATS	Consult current NOTAM for ATS HR.
8.	Fuelling	Avbl.as ATS
9.	Handling	---
10.	Security	As ATS
11.	De-icing	---
12.	Remarks	Outside of ATS hour service available O/R with 24Hrs PN to AD.

VIPT AD 2.4 HANDLING SERVICES AND FACILITIES

NIL

VIPT AD 2.5 PASSENGER FACILITIES

1.	Hotels	In City
2.	Restaurants	In city.
3.	Transportation	Taxi available
4.	Medical Facilities	Hospital at Rudrapur / City
5.	Bank and post office	In city
6.	Tourist office	Nil
7.	Remarks	Nil

VIPT AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1.	AD category for fire fighting	CAT – 4
2.	Rescue equipment	Available as per category.
3.	Capability for removal of disabled aircraft	---
4.	Remarks	---

VIPT AD 2.7 SEASONAL AVAILABILITY – CLEARING

Nil

VIPT AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1.	Apron surface and strength	Surface	Tarmacadam
		Strength	---
2.	Taxiway width, surface and strength	Width	15M/50FT
		Surface	---
3.	ACL and elevation	Strength	---
		Location	---
4.	VOR/INS checkpoints	Elevation	---
		VOR	---
5.	Remarks	INS	---

VIPT AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1.	Use of aircraft stand ID signs, TWY guidelines and visual docking / parking guidance system of aircraft stands	---		
2.	RWY and TWY markings and LGT	RWY	Marked	THR, Centerline , Designator , Edge
			Lighted	---
		TWY	Marked	Centerline
			Lighted	---
3.	Stop bars	---		
4.	Remarks	---		

VIPT AD 2.10 AERODORME OBSTACLES

In approach /TKOF areas			In circling area and at AD		Remarks
1.			2.		
RWY/Area affected	Obstacle type Elevation Marking/LGT	Coordinates	Obstacle type Elevation Marking/LGT	Coordinates	
a	b	c	a	b	
28 APCH 10TAKEOFF	MB RD TFC 239.2M/785FT	290153.9N 0792853.3E			
	TREE 241.1M/791FT	290155.7N 0792857.9E			
	TREE 252.2M/827FT	290153.4N 0792901.5E			
	TREE 261.6M/858FT	290159.4N 0792905.9E			
	TREE 250.6M/822FT	290201.9N 0792850.7E			

VIPT AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1.	Associated MET office	Met Office Pantnagar
2.	Hours of service Met office outside hours	As ATS
3.	Office responsible for TAF preparation Periods of validity	---
4.	Types of landing forecast Interval of issuance	---
5.	Briefing / consultation provided	---
6.	Flight documentation Language(s) use	English
7.	Charts and other information available For briefing or consultation	---
8.	Supplementary equipment available for Providing information	---
9.	ATS units provided with information	Met Report
10.	AD Additional information (limitation of service, etc.)	---

VIPT AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE & MAG BRG	Dimension s of RWY(M)	Strength (PCN) and surface of RWY and SWY	THR coordinates	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
28	277°45'GEO 277°00'MAG	1097X30	Asphalt	---	232.9M/764FT
10	097°45'GEO 097°00'MAG	1097X30	Asphalt	---	232.9M/764FT
Slope of RWY- SWY	SWY dimensions (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks

7	8	9	10	11	12
---	---	549	---	----	---
---	---	549	---	---	---

VIPT AD 2.13 DECLARED DISTANCES

RWY Designation	TORA (M)	TODA (M)	ASDA (M)	LDA (M)	Remarks
1	2	3	4	5	6
28	1097	1646	1097	1097	---
10	1097	1646	1097	1097	---

VIPT AD 2.14 APPROACH AND RUNWAY LIGHTING

Nil

VIPT AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1.	ABN/IBN location, characteristics and Hours of operation	ABN	---
		IBN	---
2.	LDI location and LGT Anemometer location and LGT	LDI	---
		Anemometer	---
3.	TWY edge and centre line lighting	Edge	---
		Centre line	---
4.	Secondary power supply/switch-over Time	Secondary Power supply for VHF and NDB	
5.	Remarks	NIL	

VIPT AD 2.16 HELICOPTER LANDING AREA

Not Established

VIPT AD 2.17 ATS AIRSPACE

1.	Designation and lateral limits	VFR traffic circuit
2.	Vertical limits	Not specified
3.	Airspace classification	D
4.	ATS unit call sign Language(s)	Pantnagar Tower, English
5.	Transition altitude	10,000FT
6.	Remarks	---

VIPT AD 2.18 ATS COMMUNICATION FACILITIES

Service Designator	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
Tower	Pantnagar Tower	122.3MHz	AS ATS	---

VIPT AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid CAT of ILS/MLS (For VOR/ILS/ MLS, give VAR)	ID	Frequency	Hours of operation	Site of transmitting antenna coordinates	Elevation of DME trans- mitting antenna	Remarks
1	2	3	4	5	6	7
NDB	HW	400KHz	AS ATS	290152.1N 0792825.3E	---	---

VIPT AD 2.20 LOCAL TRAFFIC REGULATIONS

BTN 0430-1130 UTC daily except Sunday training flights in progress in the local flying area covering 5NM around Pantnagar airfield.

Lower Limit : GND

Upper limit : 2000FT.

VIPT AD 2.21 NOISE ABATEMENT PROCEDURES

VIPT AD 2.22 FLIGHT PROCEDURES

VIPT AD 2.23 ADDITIONAL INFORMATION

VIPT AD 2.24 CHARTS RELATED TO AN AERODROME

1. NDB RWY10