



INSTRUMENT APPROACH CHART
 APP.127.9 TWR.118.1
 AERODROME ELEV. 52ft. HEIGHTS RELATED TO THR RWY 07-ELEV.40ft
 CHENNAI INDIA ILS RWY 07



O. C. A.	CATEGORY OF AIRCRAFT	A/B	C/D	Distance (ILSDME) / Altitude information for G.P.inoperative Procedure						
				5D	4D	3D	2D			
STRAIGHT-IN		284	284	1840	1320	1000	680			
VISUAL CIRCLING		860	960	Time & Rate of Descent information for G.P.inoperative Procedure						
GP In-Operative procedure				Distance from OM to MM: 4.3NM						
STRAIGHT-IN		540	540	Ground speed (kt.)	80	100	120	140	160	180
VISUAL CIRCLING		860	960	Time(Min :Sec)	3:14	2:35	2:09	1:51	1:37	1:26
				Rate of descent (ft/min)	425	530	635	745	850	955

AERODROME OPERATING MINIMA	CATEGORY A		CATEGORY B		CATEGORY C		CATEGORY D	
	ALS	ALS OUT	ALS	ALS OUT	ALS	ALS OUT	ALS	ALS OUT
NORMAL MINIMA (ILS)	800(550)	1200	800(550)	1200	800(550)	1200	800(550)	1200
RESTRICTED MINIMA (ILS)	1000	1800	1000	1800	900(650)	1300	900(650)	1300
NORMAL MINIMA (GP INOP)	1600	2400	1600	2400	2000	2800	2800	3600
RESTRICTED MINIMA (GP INOP)	2000	2800	2000	2800	2400	3200	3200	4000
NORMAL CIRCLING MINIMA	3600		3600		5000		5000	
RESTRICTED CIRCLING MINIMA	3600		3600		5000		5000	

DRG. NO. AAI/03-IALC/02/07.07.07

Cancellation: G-0041/07