



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

No. AAI/ER/RTI/PIO/2026/1007

Date : 17.04.2026

To,
Sh. Saunak Sarbajna

Subject : Information under RTI Act. 2005.

Sir,

Reference is made to your online RTI application with Registration no. AAIKO/R/X/26/00011 dated 01.04.2026.

Enclosed herewith please find information which is received in respect of your above mentioned RTI application.

Enclo : As state above.

Sincerely Yours,


(Basanta Kumar Bhuyan)
General Manager(Fin)/ PIO-RHQ-ER
NSCBI Airport, Kolkata

However, if you are not satisfied with the reply/information, you have the option to file an appeal within 30 days from the date of receipt of reply/ information to the First Appellate Authority. The details of First Appellate Authority is given below:

To

Shri Himadri Shekhar Biswas, Officiating RED(ER)/First Appellate Authority (FAA),
Airports Authority of India, Regional Head Quarters,
Eastern Region, N.S.C B.I. Airport, Kolkata-700 052

PIO RHQ ER

From: GM(ATM) ER
Sent: 15 April 2026 18:08
To: PIO RHQ ER
Cc: vecc.noc
Subject: Re: Application under Right to Information Act, 2005 - Sh. Saunak Sarbajna.
Attachments: RTI Reply- Saunak Sarbajna.pdf

महोदय / Sir,

उपर्युक्त विषय पर पिछले ईमेल के संदर्भ में, कृपया आवश्यक कार्रवाई हेतु श्री सौनक सर्वजना से संबंधित RTI का जवाब संलग्न पाएं /

Reference to the trailing mail on the above subject, attached please find herewith the RTI Reply i.r.o. Shri Saunak Sarbajna for necessary action.
यह आपकी जानकारी और आवश्यक कार्रवाई के लिए है।

सादर / *Regards,*

सुब्रतो हालदर / **Subrata Halder**

महा प्रबंधक (ए.टी.एम.), पू. क्षे. / **GM(ATM), ER**

भारतीय विमानपत्तन प्राधिकरण / **Airports Authority of India**

पूर्वी क्षेत्र, कोलकाता / **Eastern Region, Kolkata**

From: PIO RHQ ER
Sent: Friday, April 10, 2026 1:28 PM
To: GM(ATM) ER
Subject: Application under Right to Information Act, 2005 - Sh. Saunak Sarbajna.

Sir/Madam,


Attached herewith please find online RTI Application with Regd. No.AAIKO/R/X/26/00011 Dated 01.04.2026. It is requested to provide the information directly to the applicant within the prescribed time limit under intimation to PIO, RHQ, ER along with all documents.

Matter may please be treated as Most Urgent as time bound matter.


PIO-RHQ, ER
A.A.I, N.S.C.B.I. Airport, Kolkata

RTI Registration no.	AAIKO/R/X/26/00011
Date of Receipt	01.04.2026
Name and Address of RTI Applicant	Shri Saunak Sarbajna
Name and Address of RTI Applicant	101, Nagendra Nath Road, Kolkata, PIN - 700028
PIO-RHQ-ER Letter No.	AAI/ER/RTI/PIO/2026/973 dated 09/04/2026

SL. NO.	APPLICANT'S QUESTION	REPLY
1	What will be maximum Height of Building within 8 Km from the radius of Netaji Subhas International Airport (KOLKATA Airport).	1. Within 8 (eight) KM Radius of Kolkata Airport Maximum Height of Building is calculated based on distance of Site coordinate and its Elevation. 2. Permissible Height may vary due to coordinate of the Site whether it lies in Obstacle Limitation Surfaces such as a) AGA Criteria - Approach, Takeoff, Approach Transition, Transition, Inner Horizontal, Conical. Outer Conical etc, b) CNS Criteria - signal disturbance/interference of navigational aids installed at various sites in airport(s) c) PANS-OPS Criteria - Effect on Approach, Landing and takeoff procedures. 3. However, NOC for Height Clearance are processed ONLINE through AAI NOCAS portal (https://nocas.aai.aero/nocas). 4. Any citizen can check approximate permissible top elevation of any site by entering their Site coordinate and elevation.
2	Whether there is any circular from AAI, Kolkata regarding the Height of the Building issued by Airports Authority of India for Kolkata Airport, (CCU).	Govt. of India's Rules and Regulation, AAI's circulars are made available in AAI NOCAS Portal in public interest: 1. The Gazette India, Ministry of Civil Aviation, Notification a) G.S.R. 751 (E), 30th September, 2015 b) G.S.R. 770 (E) [Amendment] , 17th December, 2020 2. AAI Circulars – ADSAC [Aerodrome Safeguarding Circular] AAI, Kolkata is abiding by all the mentioned Notifications/Circulars.
3	If anyone violates the Height specified by AAI for Kolkata Airport vicinity what are the provisions available for Action as per the Statute.	Complete procedures for handling any violation in this regard has been expressed in G.S.R. 751 (E) and ADSACs issued by AAI. These are made available in NOCAS Portal; i.e.; https://nocas.aai.aero/nocas .


 15.04.2026
 अरिन्दम घोष/ARINDAM GHOSH
 स. महाप्रबंधक (एटीएम) पृ.क्ष./Jt.Gen.Mgr. (ATM)ER
 भा.वि.प्रा., पृ.क्ष. / A.A.I., ER
 ने.सु.च.व.अ. हवाई अड्डा/N.S.C.B.I. Airport
 कोलकाता/Kolkata - 700 052

Page 1 of 1


 15-04-2026
 सुब्रतो हालदार/Subrata Halder
 महाप्रबंधक (एटीएम) पृ.क्ष./Gen.Mgr. (ATM)ER
 भा.वि.प्रा., पृ.क्ष. / A.A.I., RHQ, ER
 ने.सु.च.व.अ. हवाई अड्डा/N.S.C.B.I. Airport
 कोलकाता/Kolkata - 700 052

RTI REQUEST DETAILS (आरटीआई अनुरोध विवरण)

Registration Number (पंजीकरण संख्या) : AAIKO/R/X/26/00011

Date of Receipt (प्राप्ति की तारीख) : 01/04/2026

Transferred From (से स्थानांतरित): AAI-Airport Director, Kolkata Airport on 01/04/2026 With Reference Number : DIRKA/R/E/26/00017

Type of Receipt (रसीद का प्रकार) : Electronically Transferred from Other Public Authority

Language of Request (अनुरोध की भाषा) : English

Name (नाम) : SAUNAK SARBAJNA

Gender (लिंग) : Male

Address (पता) : 101 NAGENDRA NATH ROAD, KOLKATA, Pin:700028

State (राज्य) : West Bengal

Country (देश) : Details not provided

Phone Number (फोन नंबर) : +91-9339080584

Mobile Number (मोबाईल नंबर) : +91-9339080584

Email-ID (ईमेल-आईडी) : saunaksarbjana@gmail.com

Status (स्थिति)(Rural/Urban) : Urban

Education Status : Graduate

Requester Letter Number (निवेदक पत्र संख्या) : Details not provided

Letter Date : Details not provided

Is Requester Below Poverty Line ? (क्या आवेदक गरीबी रेखा से नीचे का है?) : No

Citizenship Status (नागरिकता) : Indian

Amount Paid (राशि का भुगतान) : 10) (original recipient)

Mode of Payment (भुगतान का प्रकार) : Payment Gateway

Does it concern the life or Liberty of a Person? (क्या यह किसी व्यक्ति के जीवन अथवा स्वतंत्रता से संबंधित है?) : No(Normal)

Request Pertains to (अनुरोध निम्नलिखित संबंधित है) : Basanta Kumar Bhuyan

Information Sought (जानकारी मांगी): On perusal of the contents of the information sought by the Applicant under Point No.1 & 2, it is observed that the same pertains to the Office of the RED (ER), AAI, Kolkata. Hence, the RTI Application is partially transferred herewith U/s 6(3) of the RTI Act, 2005 to the office of the RED (ER), AAI, Eastern Region, Kolkata for taking further necessary action in respect of Point No.1 & 2.

Original RTI Text (मूल आरटीआई पाठ): Dear Sir ,
I, Saunak Sarbjana , a Citizen of India want to know the Following queries under RTI Act

1. What will be maximum Height of Building within 8 Km from the radius of Netaji Subhas International Air Port (KOLKATA Airport) .
2. Whether there is any circular from AAI ,Kolkata regarding the Height of the Building issued by Airport Authority of India for Kolkata Airport . (CCU) .
3. If any one violates the Height specified by AAI for Kolkata Airport vicinity What are the provisions available for Action as per the Statute .

Thanking You

4/2/26, 3:39 PM

RTI Details

SAUNAK SARBAJNA
Advocate , High Court Calcutta

Print

Save

Close