



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

No. AAI/ER/RTI/PIO/2026/935

Dated : 23.03.2026

To,
Shri Rajesh Kumar
Prachi Raj Bhawan,
Damu Chowk Road,
Gali: Dr. Nabal Kishore Prasad Singh
Dist- Muzaffarpur,
Bihar - 842001

Subject : Information under RTI Act. 2005 – Sh. Rajesh Kumar

Sir,

Reference is made to your online RTI application Registration no. AAIKO/R/T /26/00023 dated 23.01.2026.

Enclosed herewith please find information which is received in respect of your above mentioned RTI application.

Encl : As state above.

Sincerely Yours,


(M. H. Adil)
General Manager(Engg)/ PIO-RHQ-ER
NSCBI Airport, Kolkata

However, if you are not satisfied with the reply/information, you have the option to file an appeal within 30 days from the date of receipt of reply/ information to the First Appellate Authority. The details of First Appellate Authority is given below:

To
Shri Himadri Shekhar Biswas, Officiating RED(ER)/First Appellate Authority (FAA),
Airports Authority of India, Regional Head Quarters,
Eastern Region, N.S.C B.I. Airport, Kolkata-700 052



O/o The Airport Director
JPNI Airport, Patna-800014

Sub: Information furnished under Right to information Act, 2005.

RTI Application Reg. No. – AAI/KO/R/T/26/00023, Date: - 23.01.2026

Information furnished by (Engineering-Civil), AAI, JPNI Airport, Patna.

क्रम सं०	प्रश्न	उत्तर
1.	कृपया एएआई आवासीय कॉलोनी में जल आपूर्ति एवं जल गुणवत्ता की देखरेख हेतु उत्तरदायी विभाग अथवा एजेंसी का नाम उपलब्ध कराया जाए। कृपया गंदे अथवा दूषित पानी की आपूर्ति के मामलों में उत्तरदायित्व निर्धारित करने से संबंधित विभागीय नियम, आदेश, कार्यालय ज्ञापन अथवा परिपत्र की प्रतियाँ उपलब्ध कराई जाएं, जिनमें संबंधित विभाग अथवा अधिकारियों की जिम्मेदारी का उल्लेख हो।	जल गुणवत्ता की देखरेख भा० वि० प्रा० द्वारा स्वयं किया जाता है।
2.	कृपया पानी की टंकी की सफाई से संबंधित लागू नियम, दिशा निर्देश अथवा परिपत्र की प्रति उपलब्ध कराई जाए, जिसमें सफाई की निर्धारित अवधि का उल्लेख हो। साथ ही वर्ष 2025 में पानी की टंकियों की सफाई से संबंधित तिथियों का विवरण उपलब्ध कराया जाए तथा इससे संबंधित कार्य आदेश, रिपोर्ट अथवा अभिलेखों की प्रतियाँ उपलब्ध कराई जाए।	पानी की टंकी की सफाई विभागीय नियमों के अंतर्गत नियमित अवधि में हमेशा किया जाता है।

Suresh
(Sme-EC)


Signature of HOD
Name – S.K. GUPTA
Designation – DGM (E – 2)
AAI JPNI Airport, Patna - 800014