



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

आजादी का
अमृत महोत्सव

सं/No. AAM/RTI/GM(Ops)/DIRCA/R/T/25/00008/2024-25/

दिनांक/Dated: 28/02/2025

Ms DIYA CHANGWANI
MHARASHTRA

विषय: श्री दीया चांगवानी (DIRCA/R/T/25/00008) के ऑनलाइन आर.टी.आई आवेदन का उत्तर-बाबत।
Sub: Reply to online RTI Application of Ms DIYA CHANGWANI (DIRCA/R/T/25/00008)- Reg.

महोदय/Sir,

आपके ऑनलाइन आर.टी.आई आवेदन दिनांक 31/01/2025 के संदर्भ में, भा.वि.प्रा.चेन्नई अंतरराष्ट्रीय हवाई अड्डे से संबंधित उपचारित पी.आई.ओ से प्राप्त जानकारी संलग्न है और तदनुसार, आर.टी.आई अनुरोध दिनांक 31/01/2025 को एतद्वारा निपटाया गया माना जाता है।

With reference to your online RTI Application dated 31/01/2025, the information sought received from the treated PIO pertaining to AAI Chennai Airport is enclosed and accordingly, the RTI Request dated 31/01/2025 is hereby treated as disposed off.

2. यदि आप जानकारी से संतुष्ट नहीं हैं, तो आप इस उत्तर की प्राप्ति से 30 दिनों के भीतर आरटीआई अधिनियम, 2005 की धारा 19(1) के अनुसार प्रथम अपीलीय प्राधिकारी (एफ.ए.ए) के समक्ष अपील दायर कर सकते हैं, जिसका नाम और पता नीचे दिया गया है। / In case, you are not satisfied with the information, you may file an appeal before the First Appellate Authority (FAA) as per Section 19(1) of the RTI Act, 2005 within 30 days from the receipt of this reply, whose name and address are given below:

श्री सी वी दीपक/प्रथम अपीलीय प्राधिकारी/SH C V Deepak, Airport Director/First Appellate Authority
भा.वि.प्रा.प्रचालन कार्यालय,चेन्नई अंतरराष्ट्रीय हवाई अड्डा/AAI, Operational Offices, Chennai Airport
मीनम्बबाक्कम, चेन्नई/Meenambakkam, Chennai- 600 016
(दूरभाष/Phone: 044 - 22561122) ईमेल/Email: apdchennai@aai.aero

संलग्न/Encl: यथोपरि/As Above (02 पृष्ठ/Pages)

भवदीय / Yours faithfully

28/02/25

के.के. शोभी / K. K. SHOBHY
महाप्रबंधक (प्रचालन)/ General Manager (Ops)/
केंद्रीय जन सूचना अधिकारी-आर. टी. आई. / CPIO-RTI,
चेन्नई अंतरराष्ट्रीय एयरपोर्ट/Chennai International Airport

No: AAM/CIVIL ENGG/RTI/2025/28


DATE: 17.02.2025


Note


Sub: RTI Query Diya changwani A-702, Cana Hiranandani Gardens, Powai
Mumbai City, Pin:400076 Registration: DIRCA/R/T/25/00008 Dt: 31.01.2025
Ref: Email from the O/o PIO RTI, Chennai Dt:10.02.2025

With reference to the RTI query, please find the requested information below.

S.No	Information sought	Reply						
1	Number of public toilets (units and Capacity) available at major stations at Chennai International Airport as on January 2025	Total public toilet units available at Chennai International airport for public usage: 3 Unit Capacity: <table border="1"><thead><tr><th>Men's toilet</th><th>Women's Toilet</th><th>Physically Challenged</th></tr></thead><tbody><tr><td>Urinals – 17Nos Wash basins – 13 Nos Cubicles – 10 Nos</td><td>Wash basins – 12Nos Cubicles – 11 Nos</td><td>Wash basins – 3 Nos Cubicles – 3 Nos</td></tr></tbody></table>	Men's toilet	Women's Toilet	Physically Challenged	Urinals – 17Nos Wash basins – 13 Nos Cubicles – 10 Nos	Wash basins – 12Nos Cubicles – 11 Nos	Wash basins – 3 Nos Cubicles – 3 Nos
Men's toilet	Women's Toilet	Physically Challenged						
Urinals – 17Nos Wash basins – 13 Nos Cubicles – 10 Nos	Wash basins – 12Nos Cubicles – 11 Nos	Wash basins – 3 Nos Cubicles – 3 Nos						
2	Please provide number of gender wise units (toilets) functional as on January 2025	Men's toilets – 3 unit Women's toilets – 3 unit Physically challenged toilets – 3 unit						
3	Has there any Toilets for third gender and physically challenged person in the above Airports January 2025	Dedicated facilities for physically challenged persons are available, No separate toilets are designed for the third-gender.						
4	Budget allocation for maintenance and construction of these toilets for the last two financial years, including current years	There is no separate budget allocation for these toilets, but maintenance of these toilets were included under regular Annual Maintenance Contract (AMC) of terminal buildings and carpark area.						


17-02-2025
JE (Engg-Civil) CMD-II


AGM(Engg-Civil) CMD-II


17/02/2025
For DGM (Engg-Civil) CMD-II