



No. AAI/ER/RTI/PIO/2024/369

Dated :29/10/24

To
Shri Rakesh Kumar,
Subject : Information under RTI Act. 2005.


Sir,

Reference is made to your RTI application no. AAIKO/R/T/24/00096 dated 06-10-24.

Enclosed herewith please find information which is received in respect of your above mentioned RTI application.

Enco : As above.

Sincerely Yours


30/10/2024
(H.S. Biswas)

General Manager(CNS-ER)/PIO-RHQ-ER,
NSCBI Airport, Kolkata-52

However, if you are not satisfied with the reply/information, you have the option to file an appeal within 30 days from the date of receipt of reply/information to the First Appellate Authority. The details of First Appellate Authority is given below :

To
Smt Nivedita Dubey, RED(ER)/First Appellate Authority (FAA),
Airports Authority of India, Regional Head Quarters,
Eastern Region, N.S.C B.I. Airport, Kolkata-700 052.



O/o The Airport Director
JPNI Airport, Patna-800014

Sub: Information furnished under Right to information Act, 2005.

RTI Application Reg. No. - AAIKO/R/T/24/00096, Dt. 22-10-2024

Information furnished by Civil Engineering Section.

Point No.	Information sought	Information furnished
1.	I need information about the present status of boundary wall.	Boundary wall will be constructed by State Govt. as a deposit work.
-	Electrification work Electricity connection and road connectivity of the proposed Purnea Domestic Airport construction site.	As per requirement and commissioning of Terminal Building, electric connection will be taken. Road connectivity matter pertains to State Govt.


24.10.24

General Manager (C&E)
Genl. Manager (C&E)
AAI
JPNI AIRPORT, PATNA-800014
THE AIRPORTS AUTHORITY OF INDIA