



No. AAI/ER/RTI/PIO/2024/370

Dated :29/10/24

To  
Shri Rakesh Kumar,

Subject : Information under RTI Act. 2005.


Sir,

Reference is made to your RTI application nos. AAIKO/R/T/24/00097 dated 22-10-24 & AAIKO/R/T/24/00098 dated 23-10-24.

Enclosed herewith please find information which is received in respect of your above mentioned RTI applications.

Encl : As above.

Sincerely Yours

  
(H.S. Biswas)

General Manager(CNS-ER)/PIO-RHQ-ER,  
NSCBI Airport, Kolkata-52

However, if you are not satisfied with the reply/information, you have the option to file an appeal within 30 days from the date of receipt of reply/information to the First Appellate Authority. The details of First Appellate Authority is given below :

To

Smt Nivedita Dubey, RED(ER)/First Appellate Authority (FAA),  
Airports Authority of India, Regional Head Quarters,  
Eastern Region, N.S.C B.I. Airport, Kolkata-700 052.

No. AAI/ER/RTI/PIO/2024/371

Dated : 29/10/24



O/o The Airport Director  
JPNI Airport, Patna-800014

Sub: Information furnished under Right to information Act, 2005.

RTI Application Reg. No. – AAIKO/RT/24/00098, Dt. 23-10-2024

Information furnished by Civil Engineering Section.

Point No.	Information sought	Information furnished
1.	Is Airport Authority of India has sanction & release the amount required for Purnea Domestic Airport boundary wall construction or not, provide me information.	Boundary wall will be constructed by State Govt. as a deposit work. Fund will be released after signing of MoU & terms and condition of MoU between AAI and State Govt.
2.	When Electricity connection will be available at construction site, give me information.	As per requirement and commissioning of Terminal Building.
3.	What is the status of water availability & road connectivity up to construction side.	Will be decided after taking over of work. Road connectivity matter pertains to State Govt.

*[Handwritten Signature]*  
23/10/24  
Asst. Dir. of Manager (C-1)  
AAI, Patna-800014