

RTI REQUEST DETAILS (आरटीआई अनुरोध विवरण)

Registration Number (पंजीकरण संख्या) :	AAOIN/R/E/25/00289/1	Date of Receipt (प्राप्ति की तारीख) :	21/02/2025
Type of Receipt (रसीद का प्रकार) :	Online Receipt	Language of Request (अनुरोध की भाषा) :	English
Name (नाम) :	<input type="text"/>	Gender (लिंग) :	Male
Address (पता) :	<input type="text"/>		
State (राज्य) :	Assam	Country (देश) :	India
Phone Number (फोन नंबर) :	<input type="text"/>	Mobile Number (मोबाईल नंबर) :	<input type="text"/>
Email-ID (ईमेल-आईडी) :	<input type="text"/>		
Status (स्थिति)(Rural/Urban) :	Details not provided	Education Status :	Details not provided
Is Requester Below Poverty Line ? (क्या आवेदक गरीबी रेखा से नीचे का है?) :	No	Citizenship Status (नागरिकता) :	Indian
Amount Paid (राशि का भुगतान) :	0 (Received by Airports Authority of India) (original recipient)	Mode of Payment (भुगतान का प्रकार) :	Payment Gateway
Does it concern the life or Liberty of a Person? (क्या यह किसी व्यक्ति के जीवन अथवा स्वतंत्रता से संबंधित है?) :	No(Normal)	Request Pertains to (अनुरोध निम्नलिखित संबंधित है) :	Shantanu Phalnikar
Information Sought (जानकारी मांगी):	<ol style="list-style-type: none">1. PLEASE NAME THE CONSULTANT ENGAGED FOR BUILDING THE NEW ATS BUILDING AT DIBRUGARH AIRPORT.2. WHO PROVIDED INPUTS FOR DESIGNING THE BUILDING3. WHETHER CNS WAS CONSULTED FOR ITS REQUIREMENT4. IF CONSULTED THEN PROVIDE THE NAME OF OFFICERS FROM CNS WHO PROVIDED THE INPUT5. WHETHER CNS PLANNING REMAINS A PART OF THE PROJECT DURING DESIGNING OF THE BUILDING6. WHETHER THE POSITION/ROOMS WERE IDENTIFIED OF MAJOR INSTALLATIONS FOR CNS IN PLANNING STAGE7. WHETHER THE REQUIREMENT OF RF AND SIGNAL CABLING, ROUTING WAS INFORMED TO PLANNING, DURING PLANNING OF THE BUILDING OF THE IDENTIFIED ROOMS8. WHETHER PROPER INFORMATION WAS SENT FOR CREATION OF DUCT FOR CNS RF/OTHER CABLES TO BE ROUTED TO ALL REQUIRED POSITION OF MAJOR CNS/ATM FACILITIES. IF YES, PROVIDE THE PLAN DESCRIPTION WITH DIAGRAM.9. THE TWO BIG PILLAR IN ATC TOWER WHICH HAS CREATED HINDRANCE FOR ATCO OPERATION AND CNS ATM INSTALLATION, WHETHER IT HAS BEEN INFORMED TO		

PLANNING FOR TAKING CAUTION IN FUTURE PLANNING AND DESIGNING OF ATS BUILDING.

10. WHETHER CNS PLANNING HAVE ANY STANDARD PROCEDURE/PROPOSAL/DESIGN FOR ANY NEW DESIGN AND COSTRUCTION OF ATS BUILDING, CABLE ROUTING/DUCT PROVISION SO THAT AESTHETIC LOOK OF THE BUILDING IS NOT HAMPERED DUE CABLING AT OUTDOOR OF THE BUILDING, RF CABLES /SIGNAL CABLES RUNNING FROM VHF ANTENNA AT ROOF TOP OF TOWER TO EQUIPMENT ROOM/ AHCR/OTHER MAJOR INSTALLATION WITHIN ATS.

11. IS THERE ANY PLAN DEVELOPED FOR FUTURE WHEN DESIGNING OF ATS BUILDING, CNS REQUIREMENTS WILL BE GIVEN HIGHEST PRIORITY AS ITS TERMED AS TECHNICAL BUILDING.

12. DUCTS/SHAFTS MADE FOR ELECTRICAL WING BUT NOT FOR CNS CABLING, NAME WHO IS RESPONSIBLE FOR THIS.

1. PLEASE NAME THE CONSULTANT ENGAGED FOR BUILDING THE NEW ATS BUILDING AT DIBRUGARH AIRPORT.

2. WHO PROVIDED INPUTS FOR DESGING THE BUILDING

3. WHETHER CNS WAS CONSULTED FOR ITS REQUIREMENT

4. IF CONSULTED THEN PROVIDE THE NAME OF OFFICERS FROM CNS WHO PROVIDED THE INPUT

5. WHETHER CNS PLANNING REMAINS A PART OF THE PROJECT DURING DESIGNING OF THE BUILDING

6. WHETHER THE POSITION/ROOMS WERE IDENTIFIED OF MAJOR INSTALLATIONS FOR CNS IN PLANNING STAGE

7. WHETHER THE REQUIREMENT OF RF AND SIGNAL CABLING, ROUTING WAS INFORMED TO PLANNING, DURING PLANNING OF THE BUILDING OF THE IDENTIFIED ROOMS

8. WHETHER PROPER INFORMATION WAS SENT FOR CREATION OF DUCT FOR CNS RF/OTHER CABLES TO BE ROUTED TO ALL REQUIRED POSITION OF MAJOR CNS/ATM FACILITIES. IF YES, PROVIDE THE PLAN DESCRIPTION WITH DIAGRAM.

Original RTI Text (मूल आरटीआई पाठ):

9. THE TWO BIG PILLAR IN ATC TOWER WHICH HAS CREATED HINDRANCE FOR ATCO OPERATION AND CNS ATM INSTALLATION, WHETHER IT HAS BEEN INFORMED TO PLANNING FOR TAKING CAUTION IN FUTURE PLANNING AND DESIGNING OF ATS BUILDING.

10. WHETHER CNS PLANNING HAVE ANY STANDARD PROCEDURE/PROPOSAL/DESIGN FOR ANY NEW DESIGN AND COSTRUCTION OF ATS BUILDING, CABLE ROUTING/DUCT PROVISION SO THAT AESTHETIC LOOK OF THE BUILDING IS NOT HAMPERED DUE CABLING AT OUTDOOR OF THE BUILDING, RF CABLES /SIGNAL CABLES RUNNING FROM VHF ANTENNA AT ROOF TOP OF TOWER TO EQUIPMENT ROOM/ AHCR/OTHER MAJOR INSTALLATION WITHIN ATS.

11. IS THERE ANY PLAN DEVELOPED FOR FUTURE WHEN DESIGNING OF ATS BUILDING, CNS REQUIREMENTS WILL BE GIVEN HIGHEST PRIORITY AS ITS TERMED AS TECHNICAL BUILDING.

12. DUCTS/SHAFTS MADE FOR ELECTRICAL WING BUT NOT FOR CNS CABLING, NAME WHO IS RESPONSIBLE FOR THIS.

Print

Save

Close

Print

**Government of India
Airports Authority of India
AAI CHQ**

Dated: 20/03/2025

To



Registration Number : AAOIN/R/E/25/00289/1

Dear Sir/Madam

I am to refer to your Request for Information under RTI Act 2005, received vide letter dated 21/02/2025 and to say that *pointwise reply is as under:*

(1) (8) and (10) The information has been forwarded to the concerned CPIO for furnishing the information directly to the applicant.

(2)to(7) (9) (11) (12) The information sought does not fall within the ambit of Section 2(f) of the RTI Act.

.

In case, you want to go for an appeal in connection with the information provided, you may appeal to the Appellate Authority indicated below within ***thirty days*** from the date of receipt of this letter.

Nandita Bhatt

FAA & ED Planning

Address: R G Bhawan, New Delhi

Phone No.: 20818226

Yours faithfully

(Shantanu Phalnikar)

CPIO & GM (Arch)

Phone No.: 24343131

Email : shantanu@aai.aero

RTI REQUEST DETAILS (आरटीआई अनुरोध विवरण)

Registration Number (पंजीकरण संख्या) :	AAOIN/R/T/24/00260/2	Date of Receipt (प्राप्ति की तारीख) :	17/05/2024
Transferred From (से स्थानांतरित):	Airports Authority of India on 20/05/2024 With Reference Number : AAOIN/R/T/24/00260		
Remarks(टिप्पणी) :	The matter is regarding the development of the airport in the Northeast region. Hence the application has been transferred to AAI under rule 6(3) of the RTI Act, 2005 for necessary action please.		
Type of Receipt (रसीद का प्रकार) :	Electronically Transferred from Other Public Authority	Language of Request (अनुरोध की भाषा) :	English
Name (नाम) :	<input type="text"/>	Gender (लिंग) :	Male
Address (पता) :	<input type="text"/>		
State (राज्य) :	Nagaland	Country (देश) :	India
Phone Number (फोन नंबर) :	<input type="text"/>	Mobile Number (मोबाईल नंबर) :	<input type="text"/>
Email-ID (ईमेल-आईडी) :	<input type="text"/>		
Status (स्थिति) (Rural/Urban) :	Urban	Education Status :	Above Graduate
Requester Letter Number(निवेदक पत्र संख्या) :	Details not provided	Letter Date :	Details not provided
Is Requester Below Poverty Line ? (क्या आवेदक गरीबी रेखा से नीचे का है?) :	No	Citizenship Status (नागरिकता) :	Indian
Amount Paid (राशि का भुगतान) :	0 (Received by Ministry of Civil Aviation) (original recipient)	Mode of Payment (भुगतान का प्रकार) :	Payment Gateway
Does it concern the life or Liberty of a Person? (क्या यह किसी व्यक्ति के जीवन अथवा स्वतंत्रता से संबंधित है?) :	No(Normal)	Request Pertains to (अनुरोध निम्नलिखित संबंधित है) :	Shantanu Phalnikar
Information Sought (जानकारी मांगी):	Q1.Is there a plan from the Ministry to construct an Airport at Lamka , Manipur ?		
Original RTI Text (मूल आरटीआई पाठ):	Q1.Is there a plan from the Ministry to construct an Airport at Lamka , Manipur ? Q2. Why is there no direct flight service from Dimapur to Aizawl and vice versa ? Is there a plan to resume it ? Q3. How far is UDAAN scheme beneficial for Travellers in/from Northeast India ?		

Print

Save

Close

Print

**Government of India
Airports Authority of India
AAI CHQ**

Dated: 28/05/2024

To



Registration Number : AAOIN/R/T/24/00260/2

Dear Sir/Madam

I am to refer to your Request for Information under RTI Act 2005, received vide letter dated 13/05/2024 and to say that *Information regarding in-principle approvals for Greenfield Airports granted by Ministry of Civil Aviation (MoCA) is available in Ministry of Civil Aviation website at following link :*
<https://www.civilaviation.gov.in/ministry-documents/airports-documents>
Further information may be obtained from Govt. of Manipur.

In case, you want to go for an appeal in connection with the information provided, you may appeal to the Appellate Authority indicated below within ***thirty days*** from the date of receipt of this letter.

Nandita Bhatt

FAA & ED Planning

Address: R G Bhawan, New Delhi

Phone No.: 20818226

Yours faithfully

**(Shantanu Phalnikar)
CPIO & GM (Arch)
Phone No.: 24343131
Email : shantanu@aai.aero**

RTI REQUEST DETAILS (आरटीआई अनुरोध विवरण)

Registration Number (पंजीकरण संख्या) :	AAOIN/R/T/24/00527	Date of Receipt (प्राप्ति की तारीख) :	25/11/2024
Transferred From (से स्थानांतरित):	Ministry of Civil Aviation on 25/11/2024 With Reference Number : MOCAV/R/P/24/00146		
Remarks(टिप्पणी) :	information sought by the applicant more closely pertains to Airports Authority of India (AAI), a separate public authority. Therefore, instant RTI application is being transferred to the Nodal CPIO, AAI under Section 6(3) of the RTI Act, 2005 for providing information to the applicant directly.		
Type of Receipt (रसीद का प्रकार) :	Electronically Transferred from Other Public Authority	Language of Request (अनुरोध की भाषा) :	English
Name (नाम) :	<input type="text"/>	Gender (लिंग) :	Male
Address (पता) :	<input type="text"/>		
State (राज्य) :	Tripura	Country (देश) :	Details not provided
Phone Number (फोन नंबर) :	Details not provided	Mobile Number (मोबाईल नंबर) :	Details not provided
Email-ID (ईमेल-आईडी) :	Details not provided		
Status (स्थिति) (Rural/Urban) :	Urban	Education Status :	Details not provided
Requester Letter Number(निवेदक पत्र संख्या) :	Details not provided	Letter Date :	02/11/2024
Is Requester Below Poverty Line ? (क्या आवेदक गरीबी रेखा से नीचे का है?) :	No	Citizenship Status (नागरिकता) :	Indian
Amount Paid (राशि का भुगतान) :	10) (original recipient)	Mode of Payment (भुगतान का प्रकार) :	Postal Order
Does it concern the life or Liberty of a Person? (क्या यह किसी व्यक्ति के जीवन अथवा स्वतंत्रता से संबंधित है?) :	No(Normal)	Request Pertains to (अनुरोध निम्नलिखित संबंधित है) :	Shantanu Phalnikar
Information Sought (जानकारी मांगी):	Please find the attached document here with		
Original RTI Text (मूल आरटीआई पाठ):	Please find the attached document here with		

Print

Save

Close

Print

**Government of India
Airports Authority of India
AAI CHQ**

Dated: 03/12/2024

To



Registration Number : AAOIN/R/T/24/00527

Dear Sir/Madam

I am to refer to your Request for Information under RTI Act 2005, received vide letter dated 07/11/2024 and to say that *pertains to State Govt. of Tripura. Thus, the requisite information may be obtained from the State Govt. of Tripura..*

In case, you want to go for an appeal in connection with the information provided, you may appeal to the Appellate Authority indicated below within ***thirty days*** from the date of receipt of this letter.

Nandita Bhatt

FAA & ED Planning

Address: R G Bhawan, New Delhi

Phone No.: 20818226

Yours faithfully

**(Shantanu Phalnikar)
CPIO & GM (Arch)
Phone No.: 24343131
Email : shantanu@aai.aero**