



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

भा.वि.प्रा./सीएनएस-पी./आर टी आई एक्ट-2005/2025/443 दिनांक: 10/02/2026

विषय: आरटीआई अधिनियम, 2005 के तहत सूचना का अनुरोध
Sub: Request for Information under RTI Act, 2025

महोदय

संदर्भ / Reference:

1. Your RTI application reg. no. AAOIN/R/X/25/00109 dated 26/12/2025.
2. भा.वि.प्रा./एन.एस./आर टी आई एक्ट-2005/पीआईओ/2025/ 121 dated 05/02/2026.
यह निवेदन किया जाता है, कि क्रमांक A1, 2 और 7 से संबंधित निम्नलिखित जानकारी इस प्रकार है।
It is submitted that the following information with respect to Sl. No. A1, 2 & 7 is as below

S.N	Query	Response
A	Height Clearance & Elevation Safety	AAI does not take approval for Radar height clearance from DGCA.
1.	Copy of the Height Approval Application submitted by AAI to DGCA proposing radar location and height (382.73 m AMSL) along with technical justification and supporting documents	
2.	Certified copy of Height Clearance Approval/NOC issued by DGCA for the radar structure including surveyed AMSL elevation.	
7.	Safety evaluation performed under CCZM-2017, which was legally applicable, at the time radar planning and height fixation.	

यदि आवेदक उपरोक्त जबाब से संतुष्ट न हो तो वे इस पत्र की प्राप्ति के 30 दिनों के अंदर आरटीआई अधिनियम 2005 की धारा -19(1) के तहत प्रथम अपील प्रधिकारी, श्री जी. के. वेनुगोपाल, कार्यपालक निदेशक, (सी.एन.एस.-पी.) राजीव गांधी भवन, नई दिल्ली-110003 को अपनी अपील भेज सकते हैं।

If the applicant is not satisfied with the above reply, he/ she has an option to prefer an appeal against the information provided within 30 days to First Appellate Authority Sh. G.K. Venugopal, Executive Director (CNS-P1), Rajiv Gandhi Bhawan, New Delhi-110003. Under section 19(1) of RTI

भारतीय

11/02/2026

(उदय कुमार एम.)/ (Udayakumar M.)

महाप्रबंधक (सीएनएस-पी-1)/ GM (CNS-P-1)

संलग्नक/Encl.: यथोपरि/ As above.

प्रतिलिपि/ Copy to:

1. RTI Cell, CHQ Airports Authority of India, RGB New Delhi 110003
2. ED (CNS-P1), Appellate Authority, Airports Authority, of India RGB New Delhi 110003

11/02/26

11/02/26