



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

No. AAI/ER/RTI/PIO/2025/700

Dated : 17-11-2025

To
Shri Gopal Banik,
Subject : Information under RTI Act. 2005.


Sir,

Reference is made to your RTI Online application no. AAIKO/R/T/25/00154, Dated on 22-10-2025.

Enclosed herewith please find information which is received in respect of your above mentioned RTI application.

Encl : As above.

Sincerely Yours,


17/11/2025
(H.S. Biswas)

General Manager(CNS-ER)/PIO-RHQ-ER,
NSCBI Airport, Kolkata-52

However, if you are not satisfied with the reply/information, you have the option to file an appeal within 30 days from the date of receipt of reply/information to the First Appellate Authority. The details of First Appellate Authority is given below :


To


Smt Nivedita Dubey, RED(ER)/First Appellate Authority (FAA),
Airports Authority of India, Regional Head Quarters,
Eastern Region, N.S.C B.I. Airport, Kolkata-700 052

Reply to RTI Application under RTI Act, 2005.

Name and Address of RTI Applicant – Sri. Gopal Banik,
Flat no. RR2/C, Tarulia Punarbasan, P.O. New Town, Dist.: 24 Parganas North,
PIN – 700163, West Bengal
PIO-RHQ-ER Letter No. AAI/ER/RTI/PIO/2025/649 dated 23/10/2025.

APPLICANT'S QUESTION (in original)	REPLY
<p>01 It's a humble request to the authority to confirm whether a NOC from the Airports Authority of India (AAI / NOCAS) is required for construction of one residential building within the total 16 meter height of the building at the following location : Address : Polenite Road, P.O. Krishnapur, P.S. Electronics Complex, Dist. 24 Pgs. (N), Bidhannagar Municipal Corporation, Kolkata - 700102, Near beside "Polenite Shanti Sangha Club"</p> <p>Coordinates (on Google Map): Direct copy / Paste: 22.57240127292393, 88.44944460788307 Location : 22° 34' 20.6" N 88° 26' 58.0" E Location Link : https://maps.app.goo.gl/mmmDVYRNbAhQ9pdDQ9</p>	<p>1. Yes. Obtaining NOC for Height Clearance is mandatory for Site/ Location / Coordinate mentioned in your question from Airports Authority of India, Regional NOC Cell, Eastern Region, Kolkata.</p> <p>2. NOC for Height Clearance are processed online paperless through NOCAS portal: https://nocas2.aai.aero/nocas.</p>
<p>02 If NOC is required kindly provide the official reference notification and steps of the procedure to obtain such clearance.</p>	<p>1. Official references and notification: The Gazette of India "Extraordinary Ministry of Civil Aviation Notification, New Delhi, a) G.S.R.751 (E) 30th September, 2015 b) G.S.R.770 (E) 17th December, 2020 c) Aerodrome Safeguarding Circulars (ADSAC) issued by A.A.I., CHQ, New Delhi.</p> <p>2. Procedure to obtain NOC for Height Clearance: a) Guidelines for online submitting NOC for Height Clearance application can be viewed and downloaded by public from above NOCAS Portal (https://nocas2.aai.aero/nocas/)</p>


अरिन्दम घोष/ARINDAM GHOSH
सं. महाप्रबंधक (एटीएम) पू. से. / Jt. Gen. Mgr. (ATM) ER
भा. वि. प्रा. से. / A.A.I., ER
ने. सु. च. व. अं. हवाई अड्डा / N.S.C.B.I. Airport
कोलकाता / Kolkata - 700052


13.11.2025
सुब्रतो हालदार/Subrata Halder
महाप्रबंधक (एटीएम) पू. से. / Gen. Mgr. (ATM) ER
भा. वि. प्रा. से. पू. से. / A.A.I., RHQ, ER
ने. सु. च. व. अं. हवाई अड्डा / N.S.C.B.I. Airport
कोलकाता / Kolkata - 700052