



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

No. AAI/ER/RTI/PIO/2025/639

Dated : 21-10-2025

To
Shri Vikash Agarwal,

Subject : Information under RTI Act. 2005.


Sir,

Reference is made to your RTI Online application no. AAIKO/R/T/25/00135, AAIKO/R/X/25/00016, AAIKO/R/X/25/00017 Dated on 22-09-2025, AAIKO/R/T/25/00140 & AAIKO/R/T/25/00141 Dated on 23-09-2025, AAIKO/R/X/25/00019 Dated on 24-09-2025, AAIKO/R/T/25/00142 Dated on 30-09-2025, AAIKO/R/T/25/00144 Dated on 01-10-2025, AAIKO/R/X/25/00020 Dated on 13-10-2025 & AAIKO/R/T/25/00147 Dated on 07-10-2025.

Enclosed herewith please find information which is received in respect of your above mentioned RTI application.

Enclo : As above.

Sincerely Yours,


21/10/2025
(H.S. Biswas)

General Manager(CNS-ER)/PIO-RHQ-ER,
- NSCBI Airport, Kolkata-52

However, if you are not satisfied with the reply/information, you have the option to file an appeal within 30 days from the date of receipt of reply/information to the First Appellate Authority. The details of First Appellate Authority is given below :

To
Smt Nivedita Dubey, RED(ER)/First Appellate Authority (FAA),
Airports Authority of India, Regional Head Quarters,
Eastern Region, N.S.C B.I. Airport, Kolkata-700 052.



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

संदर्भ. सं /No.: AAI/BA/HR/E-52/ ५४०५

दिनांक/Date:14.10.2025

सेवा में/To,

महा प्रबंधक (सिएनएस-पू. क्षे. / पी.आई.ओ./The General Manager (CNS-ER)/PIO,
क्षेत्रीय मुख्यालय-पू. क्षे./RHQ-ER,
भारतीय विमानपत्तन प्राधिकरण/ Airports Authority of India,
ने.सु.च.बो.अं. हवाईअड्डा/ N.S.C.B.I. Airport,
कोलकता-52/Kolkata-52.

विषय/Subject: आर.टी.आई. अधिनियम, 2005 के तहत जानकारी/ Information under RTI Act. 2005.

महोदय/Sir,

उपर्युक्त विषय पर, Shri Viakash Agarwal के ऑनलाइन पंजीकरण No. AAIKO/R/T/25/00135 दिनांक 24.09.2025 से प्राप्त आरटीआई आवेदन का संदर्भ लें।

Reference is made to your RTI application with registration No. AAIKO/R/T/25/00135 dated 24.09.2025 of Shri Viakash Agarwal.

इस संबंध में, राउरकेला हवाई अड्डे के संबंध में मांगी गई जानकारी आगे की आवश्यक कार्रवाई के लिए संलग्न है।

In this connection, the information as sought for, in respect of Rourkela Airport, is attached herewith for further necessary action.

सादर/Yours sincerely,

Encl. As above.

[प्रसन्ना प्रधान/ PRASANNA PRADHAN]

विमानपत्तन निदेशक/पी.आई.ओ./Airport Director/PIO

भुवनेश्वर/Bhubaneswar-20

दैनिकी सं/Sliry No... 3410...
दिनांक/Date... 13/10/25...
फाइल सं/File No.....



राउरकेला इस्पात संयंत्र
ROURKELA STEEL PLANT

Ref. No. Verk/RRK/ 259
Dated: 08.10.2025

To,

The Airport Director/PIO,
Airports Authority of India,
Biju Patnaik International Airport,
Bhubaneswar-20
Odisha

Subject: Submission of Information on RTI application of Mr. Viakash Agarwal

Sir,

This has reference to your letter No. AAI/BA/E-52/5432, dated 24/09/2025 regarding RTI application of Mr. Viakash Agarwal. (Registration no :AAIKO/R/T/25/00135 , AAIKO/R/X/25/00016, AAIKO/R/X/25/00017, Dated : 24.09.2025).

In this regard, the information received from the following officials is enclosed herewith for your kind perusal and further necessary action:

- ATS In-charge, AAI
- Manager (E-E), AAI
- Sr. Manager (E-C), AAI
- Manager (CNS), AAI
- Jr. Executive (AOS), AAI
- Station Security Head , AAAL
- CASO , APSU
- Station Officer, Odisha Fire Services

Thanking you,

Yours sincerely,

(J.P.Mishra)

Accountable Executive,
Rourkela Airport,
Rourkela

Encl. As above

CIN: 1.27109D1, 1973GO1006454

स्टील अथॉरिटी ऑफ इंडिया लिमिटेड, राउरकेला इस्पात संयंत्र, राउरकेला, ओडिशा-769011, दूरभाष: 0661-2641587, फैक्स: 0661-2510085, ई-मेल: rsp.coc@gmail.com
Steel Authority of India Limited, Rourkela Steel Plant, Rourkela-769011, Odisha, Phone:0661-2641587, Fax :0661-2510085, e-Mail:rsp.coc@gmail.com

हर किसी की जिन्दगी से जुड़ा हुआ है सेल

There's little bit of SAIL in everybody's life

13/10/25

AGM (HR)
S. K. Patil (HR)





Ref: AAI/RKL/ATM/RTI/2025/3

Dated 07-10-2025

Subject: Reply of RTI application of Sri Vikash Agarwal.

RTI application of Shri Vikash Agarwal has been received by this department.
The point-wise reply from the ATC Department is furnished below:

Sl No	RTI Quarry	ATC Department Reply
1.	Has any feasibility study been conducted for night landing facilities? If yes please provide a copy	Does not pertain to this Department.
2.	Are there plans to install CAT-I or CAT-II ILS systems to mitigate poor visibility due to industrial smoke?	Does not pertain to this Department.
3.	How many flights were cancelled at Rourkela Airport since 7 th January 2023? Please provide daily wise data with reasons of cancellation. The information should be till 31.08.2025.	Does not pertain to this Department.
4.	What is the average passenger occupancy rate for flights operating from Rourkela since 7 th January 2023? The information should be till 31.08.2025.	Does not pertain to this Department.
5.	Has any passenger feedback or complaint audit been conducted regarding cancellations or delays? If yes, please share findings.	Does not pertain to this Department.
6.	What criteria were used to determine the flight schedule and timing for Rourkela -Bhubaneswar & Rourkela-Kolkata route?	Does not pertain to this Department.
7.	Has any airline submitted a proposal to operate additional routes from Rourkela under UDAN or other schemes?	Does not pertain to this Department.

8.	What is the sanctioned budget for infrastructure upgrades at Rourkela Airport for FY 2023-24, FY 2024-25 and FY 2025-26?	Does not pertain to this Department
9.	Please provide a copy of the DPR (Detailed Project Report) or internal planning document for Rourkela Airport's expansion or modernization.	Does not pertain to this Department.
10.	What criteria were used to select Rourkela under UDAN scheme?	Does not pertain to this Department.
11.	Has any Airline withdrawn from UDAN obligations at Rourkela? If yes why?	Does not pertain to this Department.
12.	What penalties or remedies exist for airlines failing to maintain scheduled services?	Does not pertain to this Department.
13.	Has any internal audit or performance review been conducted for Rourkela Airport operations in the last 2 years? If yes provide all the audit reports.	Internal Audit- Aviation Safety Audit for ATM and Safety. Reports attached
14.	What is the sanctioned vs actual staffing level at Rourkela Airport (ATC, round crew security)	Sanction Strength of ATC: Information not available, Actual Strength: 5
15.	Has land acquisition been initiated or completed for future airport expansion?	Does not pertain to this Department.
16.	What is the annual operating cost of Rourkela Airport? Please provide details of vendor contracts for operations? If yes please share the documents.	Does not pertain to this Department.
17.	Have any legal notices or complaints been filed against airlines or AAI regarding Rourkela operations? If yes, please share the documents.	Does not pertain to this Department.
18.	Is Rourkela Airport compliant with DGCA safety norms and ICAO standards?	Does not pertain to this Department.

Submitted for kind perusal, please.

Deepshikha Thakur
AGM(ATM)

Deepshikha
ATS In-Charge
Airports Authority of India
Rourkela Airport



ANNEXURE - 7B

REQUIRED CORRECTIVE ACTION ON AUDIT OBSERVATIONS (RCA)-ATM
AVIATION SAFETY AUDIT REPORT 2024 IRO ROURKELA AIRPORT
(NON AAI O & M AGREEMENT WITH AAI)

PERIOD OF AUDIT: 02 Day		DATED: 4 TH & 5 TH DECEMBER 2024	
Station: ROURKELA AIRPORT		Region: ER	Conducted by RHQ, ER
		AREA OF AUDIT: ATM Section	
S. No.	Required Corrective Action	Remarks (ATR by APDs/PDC)	
1	NO OJT AVBL	2 AICOs have successfully completed IT course	
2	Sl.no (17,F- hot line with city police & city fire) not working.	How working normal	
3	RWY LIGHTS NOT AVBL.	Comes under the purview of SAIL, forwarded for necessary action (Mail Attached)	
4	SMS Manual for ANS not avbl	Under preparation	
5	TOWER Fire evacuation plan not avbl	Comes under the purview of SAIL (Mail attached)	
6	Sl.no(20-I)Alternate ATC Site & contingency plan not avbl	Comes under the purview of SAIL (Mail attached)	
7	Sl.no 21(a,b,c,d) need to be prepared	Comes under the purview of SAIL (Mail attached)	
8	Sl.no (24,e) fire alarm not avbl.	Comes under the purview of SAIL (Mail attached)	
9	Sl.no-26- Psychoactive drug test not conducted	Comes under the purview of SAIL (Mail attached)	
10	Sl. no(36-(i)- a,b,(ii)- not done	36-(i) available attached in Mail	
11	No fire exit	Comes under the purview of SAIL (Mail attached)	
12.	Rooms not avbl for ATS in- charge.	Comes under the purview of SAIL (Mail attached)	

मानजी दशरथ धर / Manjari Das Dhar
 क्षेत्रीय प्रमुख (एटम-एव्स) / Regional Manager
 एटम-एव्स, एर, एर, एर, एर, एर, एर, एर
 एर, एर, एर, एर, एर, एर, एर, एर
 एर, एर, एर, एर, एर, एर, एर, एर
 एर, एर, एर, एर, एर, एर, एर, एर

मानजी दशरथ धर / Manjari Das Dhar
 (Manjari Das Dhar),
 HOD/JGM(ATM-AVS), Aviation Safety, ER
 Regional Safety Manager, ER

Page 01/01



ANNEXURE - 7A

REQUIRED CORRECTIVE ACTION ON AUDIT OBSERVATIONS (RCA)-SMS

AVIATION SAFETY AUDIT REPORT 2024 IRO ROURKELA AIRPORT
(NON AAI AIRPORT- O & M AGREEMENT WITH AAI)

PERIOD OF AUDIT: 02 Day		DATED: 4 TH & 5 TH DECEMBER 2024	
Station: ROURKELA AIRPORT		Region: ER	Conducted by RHQ, ER
		AREA OF AUDIT: SMS Section	
S. No.	Required Corrective Action	Remarks (ATR by APDs/PDC)	
1	SMS Manual for ANS need to be prepared.	Under preparation	
2	CIC not trained on SMS.	Nomination will be sent for future training programme	
3	HODs not trained on SMS.	Nomination will be sent for future training programme	
4	Station Safety Committee not formed.	In Progress	
5	SMS Implementation plan not done.	In progress	
6	SPI not identified & Analyzed	SMS station, only 1 scheduled aircraft movement. If movement increases it will be done accordingly.	
7	SPI Booklet, PRR, ORR Register, Voluntary Hazard record need to be prepared.	PRR, ORR, Voluntary Hazard Record - Register Opened	

मानजी दशरथ धर / Manjari Das Dhar
 क्षेत्रीय प्रमुख (एटम-एव्स) / Regional Manager
 एटम-एव्स, एर, एर, एर, एर, एर, एर, एर
 एर, एर, एर, एर, एर, एर, एर, एर
 एर, एर, एर, एर, एर, एर, एर, एर

मानजी दशरथ धर / Manjari Das Dhar
 (Manjari Das Dhar),
 HOD/JGM(ATM-AVS), Aviation Safety, ER
 Regional Safety Manager, ER

Page 01/01





भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

Ref: AAI/RKL/ENGG.(C)/RTI/2025/

Dated 09-10-2025


Subject: **Reply of RTI application of Sri Vikash Agarwal.**

Vide email dated 03.10.2025 from the ATS In-charge, the RTI application of Shri Vikash Agarwal has been received by this department. The point-wise reply from the Civil Department is furnished below:

SI No	RTI Quarry	Civil Department Reply
1.	Has any feasibility study been conducted for night landing facilities? If yes, please provide a copy.	Does not pertain to this Department.
2.	Are there plans to install CAT-I or CAT-II ILS systems to mitigate poor visibility due to industrial smoke?	Does not pertain to this Department.
3.	How many flights were cancelled at Rourkela Airport since 7 th January 2023? Please provide daily wise data with reasons of cancellation. The information should be till 31.08.2025.	Does not pertain to this Department.
4.	What is the average passenger occupancy rate for flights operating from Rourkela since 7 th January 2023? The information should be till 31.08.2025.	Does not pertain to this Department.
5.	Has any passenger feedback or complaint audit been conducted regarding cancellations or delays? If yes, please share findings.	Does not pertain to this Department.
6.	What criteria were used to determine the flight schedule and timing for Rourkela -Bhubaneswar & Rourkela-Kolkata route?	Does not pertain to this Department.
7.	Has any airline submitted a proposal to operate additional routes from Rourkela under UDAN or other schemes?	Does not pertain to this Department.
8.	What is the sanctioned budget for infrastructure upgrades at Rourkela Airport for FY 2023-24, FY 2024-25 and FY 2025-26?	FY 2023-24 -168.72lakhs FY 2024-25- N/a FY 2025-26- N/a
9.	Please provide a copy of the DPR (Detailed Project Report) or internal planning document for Rourkela Airport's expansion or modernization.	Does not pertain to this Department.

10.	What criteria were used to select Rourkela under UDAN scheme?	Does not pertain to this Department.
11.	Has any Airline withdrawn from UDAN obligations at Rourkela? If yes, why?	Does not pertain to this Department.
12.	What penalties or remedies exist for airlines failing to maintain scheduled services?	Does not pertain to this Department.
13.	Has any internal audit or performance review been conducted for Rourkela Airport operations in the last 2 years? If yes, provide all the audit reports.	Does not pertain to this Department.
14.	What is the sanctioned vs actual staffing level at Rourkela Airport (ATC, ground crew, security)?	Does not pertain to this Department.
15.	Has land acquisition been initiated or completed for future airport expansion?	Does not pertain to this Department.
16.	What is the annual operating cost of Rourkela Airport? Please provide details of vendor contracts for ground handling security & maintenance?	Part (a) Does not pertain to this Department. Part (b) Name of Work: Annual Maintenance Contract for Civil Works in operational and non-operational area at Rourkela Airport, Rourkela during (2024-25). Name of agency : M/s Raja Dash, Qtr No . E53/2 RB, Badhei Munda , PO Kali Mandir Road, Jharsuguda, Odisha Pin 768202
17.	Have any legal notices or complaints been filled against airlines or AAI regarding Rourkela operations? If yes, please share the documents.	Does not pertain to this Department.
18.	Is Rourkela Airport compliant with DGCA safety norms and ICAO standards?	Does not pertain to this Department.

Submitted for kind perusal, please.


23/10/25

(Abhishek)
Sr. Manager (Engg-Civil)



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

Ref: AAI/RKL/Electrical/RTI/2025/

Dated 07-10-2025

Subject: **Reply of RTI application of Sri Vikash Agarwal.**


Vide email dated 26.09.2025 from the ATS In-charge, the RTI application of Shri Vikash Agarwal has been received by this department. The point-wise reply from the Electrical Department, Rourkela Airport is furnished below:

Sl No	RTI Quarry	Electrical Department Reply
1.	Has any feasibility study been conducted for night landing facilities? If yes, please provide a copy.	Does not pertain to this Department.
2.	Are there plans to install CAT-I or CAT-II ILS systems to mitigate poor visibility due to industrial smoke?	Does not pertain to this Department.
3.	How many flights were cancelled at Rourkela Airport since 7 th January 2023? Please provide daily wise data with reasons of cancellation. The information should be till 31.08.2025.	Does not pertain to this Department.
4.	What is the average passenger occupancy rate for flights operating from Rourkela since 7 th January 2023? The information should be till 31.08.2025.	Does not pertain to this Department.
5.	Has any passenger feedback or complaint audit been conducted regarding cancellations or delays? If yes, please share findings.	Nil (i. r. o Electrical Dept.)
6.	What criteria were used to determine the flight schedule and timing for Rourkela - Bhubaneswar & Rourkela-Kolkata route?	Does not pertain to this Department.
7.	Has any airline submitted a proposal to operate additional routes from Rourkela under UDAN or other schemes?	Does not pertain to this Department.

8.	What is the sanctioned budget for infrastructure upgrades at Rourkela Airport for FY 2023-24, FY 2024-25 and FY 2025-26?	FY 2023-24: 34.86 Lakhs. FY 2024-25: N/A FY 2025-26: N/A
9.	Please provide a copy of the DPR (Detailed Project Report) or internal planning document for Rourkela Airport's expansion or modernization.	No such information available with this department.
10.	What criteria were used to select Rourkela under UDAN scheme?	Does not pertain to this Department.
11.	Has any Airline withdrawn from UDAN obligations at Rourkela? If yes, why?	Does not pertain to this Department.
12.	What penalties or remedies exist for airlines failing to maintain scheduled services?	Does not pertain to this Department.
13.	Has any internal audit or performance review been conducted for Rourkela Airport operations in the last 2 years? If yes, provide all the audit reports.	Internal Audit- Aviation Safety Audit for Electrical department. (Audit report attached)
14.	What is the sanctioned vs actual staffing level at Rourkela Airport (ATC, ground crew, security)?	Does not pertain to this Department.
15.	Has land acquisition been initiated or completed for future airport expansion?	Does not pertain to this Department.
16.	What is the annual operating cost of Rourkela Airport? Please provide details of vendor contracts for ground handling, security and maintenance.	Part (a): Does not pertain to this Department. Part (b): Details of Vendor contracts for Electrical department is attached.
17.	Have any legal notices or complaints been filled against airlines or AAI regarding Rourkela operations? If yes, please share the documents.	Does not pertain to this Department.
18.	Is Rourkela Airport compliant with DGCA safety norms and ICAO standards?	Does not pertain to this Department.

Submitted for kind perusal, please.

TD,
ATS-In charge Rourkela. Airport


(Chandra Sekhar Behera)
Manager (Engg-E)

REQUIRED CORRECTIVE ACTION ON AUDIT OBSERVATIONS (RCA)

PERIOD OF AUDIT 04.12.2024 to 05.12.2024		DATE-05.12.2024	AREA OF AUDIT:
Station	Region- ER	Conducted by	CHQ/RHQ
Rourkela			Electrical
S. No.	Required Corrective Action		Remarks
8	Illuminated/Non-illuminated Signs Frangibility		
10	Secondary Power Supply to Air navigation services is fed through Two Independent Power Sources.		
47	Insulating mat conforming to IS-15652:2006 should be available in the front and back side of all Electrical panels.		
48	Periodical Safety Inspection of Power House should be carried out as per CEA regulations.		
53	Transformer winding and Oil temperature tripping and alarm should be provided as per norms.		
54	All Electrical panels and equipment's should be provided with two separate and distinct earth connections.		
55	Transformers and DG Sets should have Neutral – two separate and distinct connections.		
58	All non-current carrying metal parts of electrical equipment shall be properly earthed with double earthing source and shall have insulating floors or insulating mat as per IS:15652:2006.		
59	All panels shall be painted with description of its identification at front and rear of the panel, both sides.		
63	First aid box shall be kept in Sub-station with all required medicines/tools/bandages etc. and the Designated persons should be trained on first aid practices by Govt. authorized agencies or AAI empanelled hospital.		
66	Fire buckets with clean and dry sand shall be kept in the sub-stations in addition to the Fire extinguishers.		
67	Power supply for GLF should be separated with any other power supply with adequate stand by arrangements.		
68	Conventional type protection system should be provided especially for CCR/Power house Building.		
69	In Electrical panels form where Power Supply is drawn to individual CCRs surge protection is to be provided.		
70	Soundness of Lightning to be checked as apart of pre-monsoon check.		
72	The leads of lightning arrestors at the output Circuit of CCRs shall be separated and provided with back light sleeves so that the leads are not short circuited during lightning, to prevent of lightning induced surges to the CCRs.		

(Signature)
ANNEXURE - 7F

Other General Observations

1	PAPI units at both ends to be provided with Earthing
2	No maintenance records of transformer.
3	No earthing provided for LT panel (Sub feeder) installed near terminal building
4	Non-illuminated sign boards installed are non-frangible.
5	Earth pit covers at most places are damaged, need rectification.
6	Earthing Pit numbering, values and date of ER measurement to be recorded on each pit at site
7	Only one conventional lightning arrester installed for terminal building. No Lightning arrester available for CCR and Panel room.

Action taken should be submitted within 15 days of receipt of the audit report.


 (Signature of the Auditor)
 Name & Designation


(R.P. Astharya)
 Asst GM (Engg - Elect)

Manjari
 22/12/2024

मंजरी दास धर / Manjari Das Dhar
 संचालक (उपनिवेशीय) / J. GM (MNS)
 प्रा. वि. प्रा., क्षेत्र - पू. क्षेत्र / A.A.I. RHO-ER
 नं. सु. च. अ. अं. बंगलें अड्डा / N.S.C.B.I Airport
 कोलकाता-700052 / Kolkata-700052

Details of Vendor Contracts i.r.o Electrical And Airport System

SL.NO	Name of Vendors	Name of Work
1	M/s Youngmen Traders, P-27/1, Rastraguru Avenue, Dum Dum, Kolkata PIN - 700028, West Bengal	Operation and Maintenance contract of E&M installations for two Years at Rourkela Airport, Rourkela.
2	M/s Cummins India Limited, Cummins India Office Campus, Tower A, 5th Floor, Survey No. 21, Balewadi, Pune-411045, Maharashtra, India	Annual Comprehensive Maintenance Contract of Cummins Make 125 KVA DG Set installed at Rourkela Airport for 03 Year
3	M/s Staunch Technologies Pvt. Ltd., Regd. Off:- F3 Baid Mehta Complex, Chennai- 600015, Chennai	Daily Operation and Maintenance Activity of Airport System(AS) at B.P.I Airport Bhubaneswar, Jeypore Airport, Utkela Airport, And Rourkela Airport.
4	M/s Hue Service Pvt. Ltd., 38A, Broad street, Ground floor, Kolkata - 700019, West Bengal	Establishment & Augmentation of IT & Airport Systems Infrastructure at Rourkela Airport.





भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

Ref: AAI/RKL/CNS/RTI/2025/2

Dated: 07-10-2025

Subject: **Reply of RTI application of Sri Vaiksh Agarwal, vide registration No: AAIKO/R/X/25/00135, Dated: 22.09.2025.**

Vide email dated 03.10.2025 from the ATS In-charge, the RTI application of Shri **Vaiksh Agarwal** has been received by this department. The point-wise reply from the CNS Department is furnished below:

SI No	RTI Query	CNS Department Reply
1.	Has any feasibility study been conducted for night landing facility? If yes, please provide a copy	No such information is available with this Department
2.	Are there plans to install CAT I or CAT II ILS system to mitigate poor visibility due to industrial smoke?	No such information is available with this Department
3.	How many flights were cancelled at Rourkela Airport since 07 Jan 2023? Please provide daily wise data with reasons of cancellations. The information should be till 31.08.2025	Does not pertain to this Department
4.	What is the average passengers occupancy rate for flights operating from Rourkela since 07 Jan 2023? The information should be till 31.08.2025	Does not pertain to this Department
5.	Has any passenger feedback or complain audit been conducted regarding cancellations of delays? If, Yes, please share findings.	Does not pertain to this Department
6.	What criteria were use to determine the flight schedule and timing for Rourkela-Bhubaneswar and Rourkela- Kolkata route?	Does not pertain to this Department
7.	Has any airlines submitted a proposal to operate additional routes from Rourkela under UDAN and other schemes?	Does not pertain to this Department
8.	What is the sanction budget for infra-structure upgrade at Rourkela Airport for FY 2023-24, 2024-25 and 2025-26	Does not pertain to this Department.
9.	Please provide a copy of DPR (detailed project report) or internal planning document for Rourkela Airports – Expansion of Modernization	No such information is available with this Department.

10.	What criteria were used to select Rourkela under the UDAN scheme?	Does not pertain to this Department
11.	Has any Airlines withdrawn from UDAN obligation at Rourkela? If Yes, why?	Does not pertain to this Department
12.	What penalties or remedies exist for Airlines failing to maintain scheduled services?	Does not pertain to this Department
13.	Has any internal audit or performance review been conducted for Rourkela Airport last two year? If, yes. Provide all the audit reports.	Internal audit- Aviation Safety Audit for CNS department (Audit report attached)
14.	What is the sanction vs. actual staffing level at Rourkela Airport (ATC, Ground Crew, Security)	Does not pertain to this Department
15.	Has land acquisition been initiated or completed for future Airport expansion?	Does not pertain to this Department
16.	What is the annual operating cost of Rourkela Airport? Please provide details of vendor contract for ground handling security and maintenance.	Does not pertain to this Department.
17.	Have any legal notices or complains been filled against Airlines or AAI regarding Rourkela operation. If, yes. Please share the documents	NIL for CNS department.
18.	Is Rourkela complaint with DGCA safety norms and ICAO standards?	Does not pertain to this Department.

Submitted for kind perusal please.

Raushan Kumar
07/10/2025

(Raushan Kumar)
Manager (CNS)
Rourkela Airport
CNS In-Charge
Airports Authority of India
Rourkela Airport

To,
ATS In-Charge, Rourkela Airport

REQUIRED CORRECTIVE ACTION ON AUDIT OBSERVATIONS (RCA)

Station:		ROURKELA	
Conducted by CHQ/RHQ		RHO:ER	
AREA OF AUDIT		ATM/Opq/CNS/ELECTRICAL/FIRE/SWS	
RCA OF Aviation safety Audit CNS -ROURKELA AIRPORT - 04.12.2024 & 05.12.2024			
1	TWR 06 KVA UPS batteries replacement overdue.	2 sets of new 6 KVA UPS has been installed at ATC TWR on 22.02.2025. Battery replacement date is 22.02.2027	
2	TWR Equipment's are supplied by one 06 KVA UPS only.	2 sets of new 6 KVA UPS has been installed at ATC TWR on 22.02.2025. At present Redundant supply available at ATC TWR	
3	No Redundant supply available.	Made serviceable. Point to be dropped.	
4	City Police Hot Line U/S at Tower.		
5	Video Conferencing, City Fire, Local Fire & City Police Hot Lines not available at AHCR Station.	AHCR setup is looked up by SAIL. Matter has been taken up by Airport Operator.	
6	Related CNS procedural SOPs not available at the Station. (Ref Pt. 6 in CNS check list).	All related CNS procedural SOPs has been prepared & Now available at station.	
7	Test Equipment not Calibration.	Only Test Equipment i.e. Multi-meter is available at station. Calibration has already been done on 15.07.2025. Now Calibration Register is also being maintained at station.	
8	CNS Station Manual last updated on 28.07.2023.	CNS Station Manual 2025 has been updated & published on AAI site on 01.04.2025	
	Power System Distributed Line Diagram not available.	Power System Distribution - Line Diagram available at tower and Equipment Room.	

LEGEND

- 7 Completed
- 1 Pending

Pankaj Kumar
 14.08.2025
RAUSHAN KUMAR
 Mgr (CNS)

CNS In-Charge
Airports Authority of India
Rourkela Airport



भारतीय विमानपत्तन प्राधिकरण
AIRPORTS AUTHORITY OF INDIA

Ref: AAI/RKL/OPS/RTI/2025/

Dated 07-10-2025


Subject: **Reply of RTI application of Sri Vikash Agarwal.**

Vide email dated 03.10.2025 from the ATS In-charge, the RTI application of Shri Vikash Agarwal has been received by this department. The point-wise reply from the Operations Department Rourkela is furnished below:

Sl No	RTI Quarry	Operations Department Reply
1.	Has any feasibility study been conducted for night landing facilities? If yes, please provide a copy.	Does not pertain to this Department.
2.	Are there plans to install CAT-I or CAT-II ILS systems to mitigate poor visibility due to industrial smoke?	Does not pertain to this Department.
3.	How many flights were cancelled at Rourkela Airport since 7 th January 2023? Please provide daily wise data with reasons of cancellation. The information should be till 31.08.2025.	Does not pertain to this Department.
4.	What is the average passenger occupancy rate for flights operating from Rourkela since 7 th January 2023? The information should be till 31.08.2025.	Does not pertain to this Department.
5.	Has any passenger feedback or complaint audit been conducted regarding cancellations or delays? If yes, please share findings.	Nil.
6.	What criteria were used to determine the flight schedule and timing for Rourkela -Bhubaneswar & Rourkela-Kolkata route?	Does not pertain to Operations Department Rourkela.
7.	Has any airline submitted a proposal to operate additional routes from Rourkela under UDAN or other schemes?	Does not pertain to this Department.
8.	What is the sanctioned budget for infrastructure upgrades at Rourkela Airport for FY 2023-24, FY 2024-25 and FY 2025-26?	No such information available with this department.
9.	Please provide a copy of the DPR (Detailed Project Report) or internal planning document for Rourkela Airport's expansion or modernization.	No such information available with this department.

10.	What criteria were used to select Rourkela under UDAN scheme?	Does not pertain to this Department.
11.	Has any Airline withdrawn from UDAN obligations at Rourkela? If yes, why?	Does not pertain to this Department.
12.	What penalties or remedies exist for airlines failing to maintain scheduled services?	Does not pertain to this Department.
13.	Has any internal audit or performance review been conducted for Rourkela Airport operations in the last 2 years? If yes, provide all the audit reports.	Safety Audit Observations and Required Corrective Actions taken is attached.
14.	What is the sanctioned vs actual staffing level at Rourkela Airport (ATC, ground crew, security)?	Does not pertain to this Department.
15.	Has land acquisition been initiated or completed for future airport expansion?	Does not pertain to this Department.
16.	What is the annual operating cost of Rourkela Airport? Please provide details of contracts for operations? If yes, please share the documents.	The Cleaning/Housekeeping contract can be accessed on the Government e-Marketplace (GeM) Portal under Contract ID: GEMC-511687736884377..
17.	Have any legal notices or complaints been filled against airlines or AAI regarding Rourkela operations? If yes, please share the documents.	Does not pertain to this Department.
18.	Is Rourkela Airport compliant with DGCA safety norms and ICAO standards?	Does not pertain to this Department.

Submitted for kind perusal, please.


07/10/25
(Asish Kumar Behera)
Jr. Executive (AOS)

REQUIRED CORRECTIVE ACTION ON AUDIT OSERVATIONS (RCA)

PERIOD OF AUDIT		
04.12.2024 & 05.12.2024		
Station:		ROURKELA
Conducted by CHQ/RHQ:		RHQ-ER
AREA OF AUDIT		ATM/OPS/CNS/ELECTRICAL/FIRE/SMS
RCA OF Aviation safety Audit OPS - ROURKELA AIRPORT - 04.12.2024 & 05.12.2024		
1	Marking of APRON is faded, repainting to be carried out.	Completed. The point may be dropped.
2	RESA available but not properly graded/levelled.	Completed. The point may be dropped.
3	Runway shoulder not maintained properly.	Runway Shoulder Area is being properly maintained in coordination with Civil Department. The point may be dropped.
4	Grass cutting in Runway Strip has not maintained properly.	Grass cutting in Runway Strip is being maintained in coordination with Civil Department. The point may be dropped.
5	Height of boundary wall it may please be increase.	APD Bhubaneswar has requested funds from SAIL for raising the height of the boundary wall. The matter is still pending with SAIL.



Re: Reply to RTI Application by Mr. Vikash Agrawal

Security RRK <security.rrk@allianceair.in>

Tue 07/10/2025 13:45

To: ATS In-Charge, Rourkela <verk.ats@AAI.AERO>;

Cc: CSORRK <cso.rrk@sail.in>; RSP VERKSO <rsp.verkso@sail.in>; SM RRK <sm.rrk@allianceair.in>; Civil Incharge, Rourkela <civil.verk@AAI.AERO>; Operations In charge, Rourkela <ops.verk@AAI.AERO>; Electrical In charge, Rourkela <elecic.verk@AAI.AERO>; CNS In-Charge, Rourkela <cnsicverk@AAI.AERO>; verkfire3@gmail.com <verkfire3@gmail.com>; casorrkairport2@gmail.com <casorrkairport2@gmail.com>; XAVIER JOJOWAR <rrk.officer@aiasl.in>; GM(ATM) ER <gmatmer@AAI.AERO>; RSPVERKAEX <rsp.verkaex@sail.in>;

CAUTION: This email has originated from Outside of AAI. Do not click links or open attachments unless you recognize the sender and know the content is safe. Malware/ Viruses can be easily transmitted via email.

महोदय/महोदया, नमस्कार

Dear Sir/Mam,

We hereby acknowledge and respect Mr. Agrawal's questions submitted under the RTI application. The queries directly related to Alliance Air Aviation Limited - Rourkela office have been duly reviewed, and the information provided herein is true and generic to the best of my knowledge.

For any detailed or specific information pertaining to flight operations, you may kindly contact Alliance Headquarters directly.

- | | |
|--------|---|
| Q. 1. | N/A |
| Q. 2. | N/A |
| Q. 3. | 143 Flight has been cancelled due to Sunset Time Limitations at Rourkela Airport.
From 15th July to till 31st August 2025. Flight have been withdrawn due to non - availability of aircraft. |
| Q. 4. | 70 - 75% Occupancy Ra |
| Q. 8. | N/A |
| Q. 6. | N/A |
| Q. 7. | NIL |
| Q. 9. | N/A |
| Q. 10. | N/A |
| Q. 5. | NIL |
| Q. 11. | NIL |
| Q. 12. | N/A |
| Q. 13. | NIL |
| Q. 14. | N/A |
| Q. 15. | N/A |
| Q. 16. | N/A |
| Q. 17. | NIL |
| Q. 18. | N/A |

Thank you for your understanding.

सादर / With Best Regards

गौतम भोवाल/Goutam Bhowal
स्टेशन सुरक्षा प्रमुख /Station Security Head
एलाईंस एअर एविएशन लिमिटेड/Alliance Air Aviation Limited
राउरकेला हवाई अड्डा/Rourkela Airport
दूरभाष यंत्र नम्बर/Mob.9433770207.

From: "verk ats" <verk.ats@AAI.AERO>

To: "CSORRK" <cso.rrk@sail.in>, "RSP VERKSO" <rsp.verkso@sail.in>, "SM RRK" <sm.rrk@allianceair.in>, "Security RRK" <security.rrk@allianceair.in>, "civil verk" <civil.verk@AAI.AERO>, "ops verk" <ops.verk@AAI.AERO>, "elecic verk"



Answer to RTI question number 14.

Subas Kujur <casorrkairport2@gmail.com>

Mon 06/10/2023 15:22

ATS In-Charge, Rourkela <verk.ats@AAIAERO>

RSPVERKAEX <rsp.verkaex@sail.in>; CSORRK <csorrk@sail.in>

CAUTION: This email has originated from Outside of AAI. Do not click links or open attachments unless you recognize the sender and know the content is safe. Malware/ Viruses can be easily transmitted via email.

Respected Madam,

Answer of question number 14 the following data is mentioned below.
APSU sanctioned strength 44 but present strength 47(LTR).

- 01. Inspector-Cum- Case- 01
 - 02. Sub Inspector(A)- - 07
 - 03. Asst. Sub. Inspector. - 01
 - 04. Havildar (A) -08
 - 05. Constable. -28
 - 06. Women Constable. -02
- Total- 47.

With Regards
CASO
ROURKELA AIRPORT

